



PAIUOLO A BAGNO D'OLIO





INOX 304



OIL BATH CAULDRON



**CHAUDRON À BAIN
D'HUILE**





COD.		P	PAIOLO			FORNACETTA				DIMENSIONI		
			Cauldron / Chaudron			Fornace / Fournaise				Dimensions / Dimensions		
			L	Ø A	B	Ø C	D	E	Ø F	H	I	J
45	GR941045	8 kw	36	450	345	493	765	635	120	855	553	600
	GR941045P				320							
50	GR941050		55	500	395	573	790	660	150	880	633	675
	GR941050P				355							
55	GR941055		71	550	420	622					682	745
	GR941055P				380							
60	GR941060	11 kw	91	600	445	675	790	660	150	880	735	775
	GR941060P				390							
65	GR941065		115	650	470	732					792	820
	GR941065P				425							
70	GR941070		142	700	500	778					838	885
	GR941070P				450							
80	GR941080	14 kw	200	800	570	877	965	785		1055	937	975
	GR941080P				510		915			1005		
85	GR941085		230	850	615	930	965	785		1055	990	1025
	GR941085P				540		915	735	1005			
90	GR941090		330	900	685	980	965	785		1055	1040	1075
	GR941090P				590			-180				
100	GR941100		390	950	860	1030	1165	985		1255	1090	1150
	GR941100P				760							


COD.		P	L	Ø A	B	Ø C	D	E	Ø F	H	I	J					
45	GR841045	8 kw	36	450	345	493	765	635	120	855	553	645					
	GR841045P				320												
50	GR841050		55	500	395	573	790	660	150	880	633	720					
	GR841050P				355												
55	GR841055		71	550	420	622							660	150	880	682	790
	GR841055P				380												
60	GR841060	11 kw	91	600	445	675	790	660	150	880	735	820					
	GR841060P				390												
65	GR841065		115	650	470	732					660	150	880	792	865		
	GR841065P				425												
70	GR841070		142	700	500	778					660	150	880	838	930		
	GR841070P				450												
80	GR841080	14 kw	200	800	570	877	965	785	180	1055	937	1020					
	GR841080P				510		915			1005							
85	GR841085		230	850	615	930	965	785		1055	990	1070					
	GR841085P				540		915	735		1005							
90	GR841090		330	900	685	980	965	785		1055	1040	1120					
	GR841090P				590		-180										
100	GR841100		390	950	860	1030	1165	985		1255	1090	1195					
	GR841100P				760												

COD.		P	L	Ø A	B	Ø C	D	E	Ø F	H	I	J
45	GR741045	8 kw	36	450	345	493	765	635	120	855	553	645
	GR741045P				320							
50	GR741050		55	500	395	573	790	660		880	633	720
	GR741050P				355							
55	GR741055		71	550	420	622			150	880	682	790
	GR741055P				380							
60	GR741060	11 kw	91	600	445	675	790	660		150	880	735
	GR741060P				390							
65	GR741065		115	650	470	732			790			660
	GR741065P				425							
70	GR741070		142	700	500	778	790	660		150	880	
	GR741070P				450							
80	GR741080	14 kw	200	800	570	877			965			785
	GR741080P				510		915	1005				
85	GR741085		230	850	615	930	965	785	1055	990	1070	
	GR741085P				540		915	735	1005			
90	GR741090		330	900	685	980	965	785	1055	1040	1120	
	GR741090P				590		-180					
100	GR741100	390	950	860	1030	1165	985	1255	1090	1195		
	GR741100P			760								

COD.		P	L	Ø A	B	Ø C	D	E	Ø F	H	I	J
45	GR741045-TE	8 kw	36	450	345	493	765	635	120	855	553	665
	GR741045P-TE				320							
50	GR741050-TE		55	500	395	573	790	660		880	633	740
	GR741050P-TE				355							
55	GR741055-TE		71	550	420	622			150	880	682	810
	GR741055P-TE				380							
60	GR741060-TE	11 kw	91	600	445	675	790	660		150	880	735
	GR741060P-TE				390							
65	GR741065-TE		115	650	470	732			790			660
	GR741065P-TE				425							
70	GR741070-TE		142	700	500	778	790	660		150	880	
	GR741070P-TE				450							
80	GR741080-TE	14 kw	200	800	570	877			965			785
	GR741080P-TE				510		915	1005				
85	GR741085-TE		230	850	615	930	965	785	1055	990	1090	
	GR741085P-TE				540		915	735	1005			
90	GR741090-TE		330	900	685	980	965	785	1055	1040	1140	
	GR741090P-TE				590		-180					
100	GR741100-TE	390	950	860	1030	1165	985	1255	1090	1215		
	GR741100P-TE			760								



PAIUOLO A BAGNO D'OLIO CON TERMOSTATO																				
Oil bath cauldron with thermostat / Chaudron à bain d'huile avec thermostat																				
COD.		P	PAIOLO			FORNACETTA				DIMENSIONI										
			Cauldron / Chaudron			Fornace / Fournaise				Dimensions / Dimensions										
			L	Ø A	B	Ø C	D	E	Ø F	H	I	J								
45	GR741045-TD	8 kw	36	450	345	493	765	635	120	1065	553	665								
	GR741045P-TD				320															
50	GR741050-TD		55	500	395	573	790	660		150	1090	633	740							
	GR741050P-TD				355															
55	GR741055-TD		71	550	420	622			660					150	1090	682	810			
	GR741055P-TD				380															
60	GR741060-TD	11 kw	91	600	445	675	790	660	150	1090	735	840								
	GR741060P-TD				390															
65	GR741065-TD		115	650	470	732					790	660	150	1090	792	885				
	GR741065P-TD				425															
70	GR741070-TD		142	700	500	778									790	660	150	1090	838	950
	GR741070P-TD				450															
80	GR741080-TD	14 kw	200	800	570	877	965	785	180	1265									937	1040
	GR741080P-TD				510		915			1215										
85	GR741085-TD		230	850	615	930	965			785	1265	990	1090							
	GR741085P-TD				540		915			735	1215									
90	GR741090-TD		330	900	685	980	965	785		1265	1040	1140								
	GR741090P-TD				590		-180													
100	GR741100-TD		390	950	860	1030	1165	985		1465	1090	1215								
	GR741100P-TD				760															



PAIUOLO A BAGNO D'OLIO CON PROGRAMMATORE AUTOMATICO

Oil bath cauldron with automatic programmer / Chaudron à bain d'huile avec programmeur automatique

COD.		P	PAIOLO			FORNACETTA				DIMENSIONI			
			Cauldron / Chaudron			Fornace / Fournaise				Dimensions / Dimensions			
			L	Ø A	B	Ø C	D	E	Ø F	H	I	J	
45	GR741045-TP	8 kw	36	450	345	545	765	635	120	1160	605	725	
	GR741045P-TP				320								
50	GR741050-TP		55	500	395	625	790	660	150	1185	685	800	
	GR741050P-TP				355								
55	GR741055-TP		71	550	420	673					733	870	
	GR741055P-TP				380								
60	GR741060-TP	11 kw	91	600	445	727					787	900	
	GR741060P-TP				390								
65	GR741065-TP		115	650	470	784	790	660	150	1185	844	945	
	GR741065P-TP				425								
70	GR741070-TP		142	700	500	830					890	1010	
	GR741070P-TP				450								
80	GR741080-TP	14 kw	200	800	570	929	965	785	180	1360	989	1100	
	GR741080P-TP				510		915			1310			
85	GR741085-TP		230	850	615	982	965	785		1360	1042	1150	
	GR741085P-TP				540		915	735		1310			
90	GR741090-TP		330	900	685	1033	965	785		1360	1093	1200	
	GR741090P-TP				590			-180					
100	GR741100-TP		390	950	860	1082	1165	985			1560	1142	1275
	GR741100P-TP				760								

PAIUOLO A BAGNO D'OLIO PER MARMELLATE Jam oil bath cauldron / Chaudron à bain d'huile de confiture																								
COD.		P	PAIOLO			FORNACETTA				DIMENSIONI														
			Cauldron / Chaudron			Fornace / Fournaise				Dimensions / Dimensions														
			L	Ø A	B	Ø C	D	E	Ø F	H	I	J												
45	GR742745	8 kw	36	450	345	556	835	575	120	1230	616	710												
	GR742745P				320																			
50	GR742750		55	500	395	602							835	575	120	1230	662	780						
	GR742750P				355																			
55	GR742755		71	550	420	659													835	575	120	1230	719	810
	GR742755P				380																			
60	GR742760	11 kw	91	600	445	716	860	600	150	1255	776	860												
	GR742760P				390																			
65	GR742765		115	650	470	761							860	600	150	1255	821	920						
	GR742765P				425																			
70	GR742770		142	700	500	805													860	600	150	1255	865	940
	GR742770P				450																			
80	GR742780	14 kw	200	800	570	907	985	675	180	1380	967	1060												
	GR742780P				510																			
85	GR742785		230	850	615	966					985	675	180	1380	1026	1110								
	GR742785P				540																			
90	GR742790		330	900	685	1012	1035	725		180					1430	1072	1180							
	GR742790P				590		985	675							1380									
100	GR742799		390	950	860	1057	1235	925			180	1630		1117	1210									
	GR742799P				760																			