



PAIUOLO SEMPLICE





INOX 304



SIMPLE CAULDRON



CHAUDRON SIMPLE




GRUPPO PAIOLO																
Cauldron group / Chaudron complet																
COD.		P	PAIOLO Cauldron / Chaudron			FORNACETTA Fornace / Fournaise				DIMENSIONI Dimensions / Dimensions						
			L	Ø A	B	Ø C	D	E	Ø F	H	I	J				
40	GR930040	8 kw	27.5	400	285	410	705	575	120	805	510	535				
	GR930040P		26.5		260											
45	GR930045		440	39	330	454					555	590				
	GR930045P			38	305											
50	GR930050		490	57	375	504					605	630				
	GR930050P			55	335											
55	GR930055		540	69.5	395	555					730	600	150	830	655	675
	GR930055P			66.5	355											
60	GR930060	590	93	430	606	705	745									
	GR930060P		88	375												
65	GR930065	640	119	460	654	755	790									
	GR930065P		114	415												
70	GR930070	700	150	500	742	845	875									
	GR930070P		144	450												
80	GR930080	14 kw	221	800	575	838	855	675	180	955	935	960				
	GR930080P		211		515											
85	GR930085		850	265	620	891	905	725		1005	990	1010				
	GR930085P			255	545		855	675		955						
90	GR930090		900	348	690	940	905	725		1005	1040	1060				
	GR930090P			326	595		855	675		955						
100	GR930100		1000	506	860	1040	1105	925		180	1205	1140	1160			
	GR930100P			481	760											

COD.		P	L	Ø A	B	Ø C	D	E	Ø F	H	I	J
40	GR830040	8 kw	27.5	400	285	410	705	575	120	805	510	585
	GR830040P		26.5		260							
45	GR830045		39	440	330	454					605	680
	GR830045P		38		305							
50	GR830050		57	490	375	504						
	GR830050P		55		335							
55	GR830055		69.5	540	395	555	730	600	150	830	655	725
	GR830055P		66.5		355							
60	GR830060		93	590	430	606					705	795
	GR830060P	88	375									
65	GR830065	119	640	460	654	755					840	
	GR830065P	114		415								
70	GR830070	150	700	500	742	845	915					
	GR830070P	144		450								
80	GR830080	14 kw	221	800	575	838	855	675	180	955	935	1010
	GR830080P		211		515							
85	GR830085		265	850	620	891	905	725		1005	990	1060
	GR830085P		255		545		855	675		955		
90	GR830090		348	900	690	940	905	725		1005	1040	1110
	GR830090P		326		595		855	675		955		
100	GR830100		506	1000	860	1040	1105	925	180	1205	1140	120
	GR830100P		481		760							

COD.		P	L	Ø A	B	Ø C	D	E	Ø F	H	I	J
40	GR730040	8 kw	27.5	400	285	410	705	575	120	805	510	585
	GR730040P		26.5		260							
45	GR730045		39	440	330	454					605	630
	GR730045P		38		305							
50	GR730050		57	490	375	504					530	560
	GR730050P		55		335							
55	GR730055		69.5	540	395	555	730	600	150	830	655	725
	GR730055P		66.5		355							
60	GR730060	93	590	430	606	705					795	
	GR730060P	88		375								
65	GR730065	119	640	460	654	755					840	
	GR730065P	114		415								
70	GR730070	150	700	500	742	845					915	
	GR730070P	144		450								
80	GR730080	14 kw	221	800	575	838	855	675	180	955	935	1010
	GR730080P		211		515							
85	GR730085		265	850	620	891	905	725		1005	990	1060
	GR730085P		255		545		855	675		955		
90	GR730090		348	900	690	940	905	725		1005	1040	1110
	GR730090P		326		595		855	675		955		
100	GR730100		506	1000	860	1040	1105	925	180	1205	1140	1210
	GR730100P		481		760							

COD.		P	L	Ø A	B	Ø C	D	E	Ø F	H	I	J				
40	GR730040-TE	8 kw	27.5	400	285	410	705	575	120	805	510	605				
	GR730040P-TE		26.5		260											
45	GR730045-TE		39	440	330	454					555	660				
	GR730045P-TE		38		305											
50	GR730050-TE		57	490	375	504					605	700				
	GR730050P-TE		55		335											
55	GR730055-TE		69.5	540	395	555					730	600	150	830	655	745
	GR730055P-TE		66.5		355										655	745
60	GR730060-TE	93	590	430	606	705	815									
	GR730060P-TE	88		375												
65	GR730065-TE	119	640	460	654	755	860									
	GR730065P-TE	114		415												
70	GR730070-TE	150	700	500	742	845	945									
	GR730070P-TE	144		450												
80	GR730080-TE	14 kw	221	800	575	838	855	675	180	955	935	1030				
	GR730080P-TE		211		515											
85	GR730085-TE		265	850	620	891	905	725		1005	990	1080				
	GR730085P-TE		255		545		855	675		955						
90	GR730090-TE		348	900	690	940	905	725		1005	1040	1030				
	GR730090P-TE		326		595		855	675		955						
100	GR730100-TE		506	1000	860	1040	1105	925		180	1205	1140	1230			
	GR730100P-TE		481		760											



GRUPPO PAIOLO Cauldron group / Chaudron complet																
COD.		P	PAIOLO Cauldron / Chaudron			FORNACETTA Fornace / Fournaise				DIMENSIONI Dimensions / Dimensions						
			L	Ø A	B	Ø C	D	E	Ø F	H	I	J				
40	GR730040-TD	8 kw	27.5	400	285	410	705	575	120	1055	510	605				
	GR730040P-TD		26.5		260											
45	GR730045-TD		39	440	330	454					605	700				
	GR730045P-TD		38		305											
50	GR730050-TD		57	490	375	504										
	GR730050P-TD		55		335											
55	GR730055-TD		69.5	540	395	555	730	600	150	1080	655	745				
	GR730055P-TD		66.5		355											
60	GR730060-TD		93	590	430	606					705	815				
	GR730060P-TD		88		375											
65	GR730065-TD	119	640	460	654	755					860					
	GR730065P-TD	114		415												
70	GR730070-TD	150	700	500	742	845					945					
	GR730070P-TD	144		450												
80	GR730080-TD	14 kw	221	800	575	838					855	675	180	1205	935	1030
	GR730080P-TD		211		515											
85	GR730085-TD		265	850	620	891	905	725	1255	990	1080					
	GR730085P-TD		255		545		855	675	1205							
90	GR730090-TD		348	900	690	940	905	725	1255	1040	1030					
	GR730090P-TD		326		595		855	675	1205							
100	GR730100-TD		506	1000	860	1040	1105	925	180	1455	1140	1230				
	GR730100P-TD		481		760											

GRUPPO PAIOLO																							
Cauldron group / Chaudron complet																							
COD.		P	PAIOLO			FORNACETTA				DIMENSIONI													
			Cauldron / Chaudron			Fornace / Fournaise				Dimensions / Dimensions													
			L	Ø A	B	Ø C	D	E	Ø F	H	I	J											
40	GR730040-TP	8 kw	27.5	400	285	464	705	575	120	1165	510	605											
	GR730040P-TP		26.5		260																		
45	GR730045-TP		39	440	330	506					605	575	120	1165	555	660							
	GR730045P-TP		38		305																		
50	GR730050-TP		57	490	375	556					730	600	150		1190	605	700						
	GR730050P-TP		55		335																		
55	GR730055-TP		69.5	540	395	607										730	600	150	1190	655	745		
	GR730055P-TP		66.5		355																		
60	GR730060-TP	93	590	430	658	730	600	150	1190	705										815			
	GR730060P-TP	88		375																			
65	GR730065-TP	119	640	460	706					730				600						150	1190	755	860
	GR730065P-TP	114		415																			
70	GR730070-TP	150	700	500	794						730	600	150		1190							845	945
	GR730070P-TP	144		450																			
80	GR730080-TP	221	800	575	890											855	675	180	1315			935	1030
	GR730080P-TP	211		515																			
85	GR730085-TP	265	850	620	943	905	725	180	1315							990	1080						
	GR730085P-TP	255		545		855	675																
90	GR730090-TP	348	900	690	992	905	725			180				1315		1040	1030						
	GR730090P-TP	326		595		855	675																
100	GR730100-TP	506	1000	860	1093	1105	925				180	1565	1140		1230								
	GR730100P-TP	481		760																			