



VASCA DI STUFATURA


INOX 304



STEWING TANKS



CUVE DE CHAUFFAGE



VASCA DI STUFATURA Stewing tank / Cuve de cuisson

COD.	SCARICO Discharge Décharge	A	B	C		D		E		F	
				Min	Max	Min	Max	Min	Max	Min	Max
VDS12080/2	1"	1165	1241	370	445	408	483	880	955	930	1005
VDS18080/3		1740	1816								
VDS24080/4		2315	2391								

ACCESSORI Accessories / Accessoires

RESISTENZA AD IMMERSIONE

Immersion resistance
Résistance à l'immersion

COD.	W	V	Att.	L
REO10530	3000	220	1"¼	1050



DISTRIBUZIONE CAGLIATA


INOX 304



CURD DISTRIBUTION



**DISTRIBUTION DE
CAILLE**



DISTRIBUZIONE CAGLIATA					
Curd distribution / Distribution de caillé					
COD.	A	B	C	Fori Holes / Trous	Ø
DDC07657.075/30	760	570	100	30	75
DDC07657.100/18				18	100
DDC07657.125/11				11	125
DDC07657.150/09				9	150
DDC11676.075/60	760	1160	100	60	75
DDC11676.100/36				36	100
DDC11676.125/22				22	125
DDC11676.150/18				18	150
DDC17676.075/90	760	1760	100	90	75
DDC17676.100/54				54	100
DDC17676.125/33				33	125
DDC17676.150/27				27	150
DDC23676.075/12	760	2360	100	120	75
DDC23676.100/72				72	100
DDC23676.125/44				44	125
DDC23676.150/36				36	150